



# BAUMALIGHT

**HEAVY DUTY BRUSH MULCHERS**

**SOLD BY  
EQUIPMENT DEALERS  
FOR LOCAL SUPPORT**







## BAUMALIGHT 900 & 1100 SERIES BRUSH MULCHERS

Take your forestry management to the next level with Baumalight's new Brush Mulchers for skidsteers and excavators. Built for high performance, the 900 series and 1100 series models use a more aggressive fixed style teeth and have a mulching path up to 84" wide.




**900 SERIES**



**1100 SERIES**




## 900 SERIES TEETH




**T9000 BOLT-ON PLANER TIP TOOTH\***

\*Shown with holder



**R9000 RIPPER TOOTH**

## 1100 SERIES TEETH



**P11000 PLANER TOOTH**

### WEAR PARTS

PART #	DESCRIPTION
D004929	Bolt to bolt-on T9000 tip (M14 x 1.5 x 35)
D004728	P9000 Bolt-on sub-holder for T9000 tip
D004928	Bolt for 900 series mulcher tooth (M20-1.5 x 60) also for D004728

PART #	DESCRIPTION
D004427	Tooth holder for 900 series tooth (weld-on)
D004928	Bolt for 900 series mulcher tooth (M20-1.5 x 60) also for D004728


PART #	DESCRIPTION
D004861	Pack of 11000 series planer mulcher teeth
D003971	Sharpening pitch gauge
D004928	Bolt for 900 series mulcher tooth (M20-1.5 x 60) also for D004728

## PERFORMANCE BOOSTING MULCHER RINGS

(Licensed by Denis Cimaf)

A feature unique to the 1100 Series Brush Mulchers, are the performance boosting mulcher rings (Licensed by Denis Cimaf). These mulcher rings improve the efficiency of your mulching while reducing the risk of breakage on the tooth holders by limiting the size of the bites which helps to maintain a higher rotor speed.

**Available on 1100 Series Only**



# KEY FEATURES



## ROLL BACK TO FELL STANDING TREES

The frame is angled so that you can roll back the Brushy Mulcher, pulling back the pusher bar so that you can fully engage the mulching head. This allows the operator to use the mulching head to fell standing trees.




## DIRECTIONAL FELLING HOOK

Built into the pusher bar, the directional felling hook will directionally control wayward trees, sprawling clumps and low hanging limbs.



## CENTERED ADJUSTABLE HOSE SUPPORT

To accommodate for different skidsteers that have the couplers on different sides, the hose support is positioned close to the centre of the mulching head and has an adjustable hose.



## ADJUSTABLE BELT TENSIONER

The adjustable belt tensioner ensures the proper tension of your belts, with no extra idler wheel that could wear out. Simply loosen the bolts and raise the motor mount to tighten the belt.



## PRESSURE GAUGE

Large PSI pressure gauge for maintaining the optimal flow that gives you a clear indication of the most efficient brush mulching performance.



## HEAVY DUTY SKIDSTEER PLATE

Also redesigned for the 900 & 1100 Series Brush Mulcher, the skidsteer plate is constructed with heavy duty steel with lots of gusseting and reinforcements.



## ENHANCED OPERATOR VISIBILITY

The improved design of the mulcher head now allows the operator better visibility to the area you are mulching.



## IMPROVED WEIGHT MANAGEMENT

To improve the weight management of the Brush Mulcher, the mulcher is now designed with the rotor closer to the carrier. This unique design feature allows for smaller carriers to be able to manage a larger mulcher.



## REPLACEABLE BOLT-IN WEAR PLATES

Save time by easily replacing the AR400 steel wear plates on the mulcher without needing to remove the rotor.



## EASY ACCESS GREASE FITTINGS

Reduce your regular maintenance time by easily greasing the bearings on the mulcher from outside the frame. No tools required.



# 900 SERIES MODELS

Baumalight's 900 Series Brush Mulchers are heavy duty mulchers built for series forestry mulching. With a robust tooth that is ideal for rocky soild conditions, these mulchers are made for up to 12,000 lbs skidsteers and 33 ton excavators.



## MS960 SKIDSTEER MULCHER

- 75" Path Width
- 60" Rotor Width
- 7,000lb min carrier weight
- Level standard - optional skid shoes for below ground
- Fixed Holder Style
- 18.5" Rotor Diameter (tool tips)
- 860 lb. Rotor (with tools)
- Built-In Relief Protection
- Large PSI pressure gauge for maintaining optimal flow
- Couplers NOT Included
- 2,724 lb.
- 38 Teeth
- R9000 Ripper Teeth (Standard)
- T9000 Planer Teeth (Can be switched out by customer only)



## MS972 SKIDSTEER MULCHER

- 84" Path Width
- 72" Rotor Width
- 7,500lb min carrier weight
- Level standard - optional skid shoes for below ground
- Fixed Holder Style
- 18.5" Rotor Diameter (tool tips)
- 1,105 lb. Rotor (with tools)
- Built-In Relief Protection
- Large PSI pressure gauge for maintaining optimal flow
- Couplers NOT Included
- 3115 lb.
- 43 Teeth
- R9000 Ripper Teeth (Standard)
- T9000 Planer Teeth (Can be switched out by customer only)



## MX960R EXCAVATOR MULCHER

- 90" Path Width
- 60" Rotor Width
- 33 Ton Maximum Carrier Weight
- 18 Ton Minimum Carrier Weight
- Level Cutting Depth
- Fixed Holder Style
- 2" Rotor Shaft
- 18.5" Rotor Diameter (tool tips)
- 860 lb. Rotor (with tools)
- Built-In Relief System Protection
- Hoses & Couplers NOT Included
- 2910 lb.
- 38 Teeth
- R9000 Ripper Teeth\* (Standard)
- T9000 Planer Teeth\* (Can be switched out by customer only)

# 1100 SERIES MODELS

The new 1100 Series Brush Mulchers are built to a similar spec as the 900 Series Mulchers, but come standard with a higher performance planer tooth and the unique performance boosting mulcher rings (licensed by Denis Cimaf).



## MS1160 SKIDSTEER MULCHER

- 75" Path Width
- 60" Rotor Width
- 7,000lb min carrier weight
- Level standard - optional skid shoes
- Fixed Holder Style
- 19.3" Rotor Diameter (tool tips)
- 860 lb. Rotor (with tools)
- Built-In Relief Protection
- Large PSI pressure gauge for maintaining optimal flow
- Couplers NOT Included
- 2,800 lb.
- 31 Teeth
- R11000 Sharpenable Planer Teeth



## MX1160R EXCAVATOR MULCHER

- 90" Path Width
- 60" Rotor Width
- 33 Ton Maximum Carrier Weight
- 18 Ton Minimum Carrier Weight
- Level Cutting Depth
- Fixed Holder Style
- 2" Rotor Shaft
- 18.5" Rotor Diameter (tool tips)
- 870 lb. Rotor (with tools)
- Built-In Relief System Protection
- Hoses & Couplers NOT Included
- 2925 lb.
- 31 Teeth
- P11000 Ripper Teeth\* (Standard)
- T9000 Planer Teeth\* (Can be switched out by customer only)






**SOLD BY**  
**EQUIPMENT DEALERS**  
**FOR LOCAL SUPPORT**

To better support our customers, Baumalight products are only available through local equipment dealerships. Through our authorized dealer network, Baumalight can provide our customers with better after-sales support such as warranty claims and maintenance services.

**Visit our online dealer locator today to find your local authorized Baumalight equipment dealership.**

**LOCAL AFTER-SALES SUPPORT & SERVICE  
PRODUCT MAINTENANCE & WARRANTY SUPPORT**



## OTHER PRODUCTS BY BAUMALIGHT



**MP560 TRACTOR MULCHER**



**MX548 EXCAVATOR MULCHER**



**DHX752 EXCAVATOR TREE SAW**

# baumalight.com

**TO VIEW BAUMALIGHT'S FULL PRODUCT LINE AND FOR HELPFUL ONLINE TOOLS, VISIT OUR WEBSITE TODAY.  
PRODUCT VIDEOS - LEAD TIME - BRUSH CUTTING CHARTS - FLOW & PRESSURE DATA**



**Manufactured by: MTB MFG. INC.**  
4575 Powell Rd. Wallenstein, ON. Canada, N0B 2S0

**baumalight.com**