

LIGHT INDUSTRIAL EQUIPMENT

ATTACHMENTS FOR TRACTORS, SKIDSTEERS & EXCAVATORS



AUGERS
BARRIER MOWER
BOOM MOWERS
BRUSH MULCHERS
CHEATER ADAPTORS
DUMPER
EXCAVATOR ADAPTORS
FELLER BUNCHER
FLAIL MOWER
GENERATORS

MINI SKIDSTEERS
ROTARY BRUSH CUTTER
SCREW SPLITTERS
STUMP GRINDERS
STUMP PLANERS
TREE PULLER
TREE SAWS
TREE SHEARS
TREE SPADES
TRENCHERS

MINI SKIDSTEER TOOLS
EXCAVATOR MOUNTS



WHAT'S NEW?

CHECK OUT OUR NEW PRODUCTS TODAY!

The design team at Baumalight has been busy improving many existing products as well as developing new products.

[CLICK HERE](#)

to see all the new Baumalight products on our What's New webpage.

baumalight.com/product/whats-new



TRACK YOUR ORDER

Already have an order with Baumalight?

Visit our order tracking page to track your order progress.

baumalight.com/suddenshipping



PRODUCT PRICE LOOKUP

Easily find retail pricing on any Baumalight product using our handy product price lookup website.



baumalight.com/product/price-lookup

TABLE OF CONTENTS



Augers
Page 4



Barrier Mower
Page 10



**Boom Mowers
-Skidsteer**
Page 12



Brush Mulchers
Page 14



**Cheater
Adaptors**
Page 18



Dumpers
Page 20



**Feller
Bunchers**
Page 22



Flail Mowers
Page 24



Generators
Page 26



**Mini
Skidsteers**
Page 32



**Rotary Brush
Cutters**
Page 34



**Screw Splitters
& Stump Planers**
Page 38



**Stump
Grinders**
Page 40



**Tree Shears &
Pullers**
Page 44



Tree Saws
Page 48



Tree Spades
Page 50



Trenchers
Page 56



**Mini Skid-
steer Tools**
Page 58



**Excavator
Mounts**
Page 61

AUGERS



FOR FULL PRODUCT DETAILS, PRICING, PRODUCT VIDEOS, SUPPORT AND TO FIND A DEALER, VISIT [BAUMALIGHT.COM](https://www.baumalight.com)

For full product details and pricing visit [Baumalight.com](https://www.baumalight.com).

OWNER-OPERATOR SERIES



RC442

Drive Type: Gear
Excavator Size: 2,000 - 4,000 lbs
Gear Ratio: 3.18:1
Max GPM: 18



RC582

Drive Type: Planetary
Excavator Size: 2,000 - 6,000 lbs
Gear Ratio: 3.6:1
Max GPM: 25

CONTRACTOR SERIES



RC586

Drive Type: Heavy Duty Planetary
Excavator Size: 3,000 - 20,000 lbs
Gear Ratio: 6:1
Max GPM: 25



RC780

Drive Type: Heavy Duty Planetary
Excavator Size: 4,000 - 30,000 lbs
Gear Ratio: 5:1
Max GPM: 45

EASY-TO-USE MODULAR PLATFORM



A solution for dealers and customers that need to adapt auger bits to various types of Auger drives.

Check out more on www.baumalight.com



TREE AUGER



Aggressor Tree Augers

Includes 2-9/16" Round Hub	Includes 2" Hex Hub	Description	Dimensions Diam. X Len.
-	135554	18" Tree Auger	18" Tree Auger
135543	-	24" Tree Auger	24" Tree Auger
-	135556	30" Tree Auger	30" Tree Auger

Twisted J Tree Augers

2"Hex Hub	Description	Dimensions
TJTA18H	18" Twisted J Tree Auger (Welded Hub)	18" X 48"
TJTA24H	24" Twisted J Tree Auger (Welded Hub)	24" X 48"
TJTA30H	30" Twisted J Tree Auger (Welded Hub)	30" X 48"
TJTA36H	36" Twisted J Tree Auger (Welded Hub)	36" X 48"
TJTA42H	42" Twisted J Tree Auger (Welded Hub)	42" X 48"
TJTA48H	48" Twisted J Tree Auger (Welded Hub)	48" X 48"

HOW IT WORKS



Step 1: Choose a new location for three and position your auger drive over that location.



Step 2: Dig hole to depth of auger bit



Step 3: Lower the tree into hole and push excess dirt back into the hole and around the tree base.

TWISTED J AUGERS



2" Round Hub

2" Round Hub	Description	Dimensions
TJ04A	4.5" SDA series single flight Twisted J Auger	4.5" x 48"
TJ06A	6" DCA series double flight Twisted J Auger	6" x 48"
TJ09A	9" DCA series double flight Twisted J Auger	9" x 48"
TJ12A	12" DCA series double flight Twisted J Auger	12" x 48"
TJ15A	15" DCA series double flight Twisted J Auger	15" x 48"
TJ18A	18" DCA series double flight Twisted J Auger	18" x 48"
TJ24A	24" DCA series double flight Twisted J Auger	24" x 48"
TJ30A	30" DCA series double flight Twisted J Auger	30" x 48"
TJ36A	36" DCA series double flight Twisted J Auger	36" x 48"



2" Round Hub

2-9/16" Round Hub

2-9/16" Round Hub	Description	Dimensions
TJ04B	4.5" SDA series single flight Twisted J Auger	4.5" x 48"
TJ06B	6" DCA series double flight Twisted J Auger	6" x 48"
TJ09B	9" DCA series double flight Twisted J Auger	9" x 48"
TJ12B	12" DCA series double flight Twisted J Auger	12" x 48"
TJ15B	15" DCA series double flight Twisted J Auger	15" x 48"
TJ18B	18" DCA series double flight Twisted J Auger	18" x 48"
TJ24B	24" DCA series double flight Twisted J Auger	24" x 48"
TJ30B	30" DCA series double flight Twisted J Auger	30" x 48"
TJ36B	36" DCA series double flight Twisted J Auger	36" x 48"



2-9/16" Round Hub

TWISTED J AUGERS

2" Hex Hub


2"Hex Hub	Description	Dimensions
TJ04H	4.5" SDA series single flight Twisted J Auger	4.5" x 48"
TJ06H	6" DCA series double flight Twisted J Auger	6" x 48"
TJ09H	9" DCA series double flight Twisted J Auger	9" x 48"
TJ12H	12" DCA series double flight Twisted J Auger	12" x 48"
TJ15H	15" DCA series double flight Twisted J Auger	15" x 48"
TJ18H	18" DCA series double flight Twisted J Auger	18" x 48"
TJ24H	24" DCA series double flight Twisted J Auger	24" x 48"
TJ30H	30" DCA series double flight Twisted J Auger	30" x 48"
TJ36H	36" DCA series double flight Twisted J Auger	36" x 48"



2-9/16" Round Hub

Service Parts

Service Parts	Description
D006570	Standard Bolt-on dirt tooth for DCA series Twisted J Augers
D006574	SB35-SQ Pilot bit for DCA Series Twisted J Auger
D006575	SB45-SQ Pilot bit for DCA Series Twisted J Auger
D006576	5/8-11 Stover lock for Twisted J Dirt tooth
D006577	5/8 X 1 1/2 carriage Bolt for Twisted J Dirt tooth
D006578	3/8-16 x 3.25 Bolt for Twisted J Pilot bit
D006579	3/8 stover lock Nut for Twisted J Pilot bit



CHEATER ADAPTERS

2" ROUND ADAPTERS

D001286

2" Round FM to 2-9/16" Round Male Adapter - 15 lbs



D001287

2" Round FM to 2-9/16" Round Male Brushing - 2 lbs



D001319

2" Round FM to 2" Hex Male Adapter - 17 lbs



2" HEX ADAPTERS

D001280

2" Hex FM to 2" Round Male Adapter - 17 lbs



D001310

2" Hex FM to 2-9/16" Round Male Adapter - 17 lbs



2-9/16" ROUND ADAPTERS

D001279

2-9/16" Round FM to 2" Round Male Adapter - 18 lbs



D001318

2-9/16" Round FM to 2" Hex Male Adapter - 17 lbs



2" HEX WELD-ON HUB

D004335

2" Hex weld-on hub bushing with OD step and 2" ID - 1.42 lbs



BIT EXTENSIONS



D001381

2" Round M2F
24" Length



D001382

2" Round M2F
48" Length



D001384

2-9/16" Round M2F
24" Length



D001385

2-9/16" Round M2F
48" Length



D001734

2" Hex M2F
24" Length
Full Length



D001735

2" Hex M2F
48" Length
Full Length



D001549

2" Hex M2F
24" Length
Adjustable

Fastener for 2" Round Extensions



D001918

1/2x3.75 Bolt 2" Round Auger Bit Extension



D001919

1/2 Nylon Insert Locknut



D001920

7/8 x 5.5 Bolt 2-9/16" Round Auger Bit Extension



D001921

7/8 Nylon Insert Locknut



D002008

3/4 Pin 2" Hex Auger Bit Extension



S1014

2" Hex Linch Pin

BARRIER MOWERS



BARRIER MOWERS



FOR FULL PRODUCT DETAILS, PRICING, PRODUCT VIDEOS, SUPPORT AND TO FIND A DEALER, VISIT [BAUMALIGHT.COM](https://baumalight.com)



BMM230

Cutting Width: 32"
Number of Blades: 2
Attachment: Universal Mini Skidsteer
Min Carrier Weight: 2,100 - 4,000lbs
GPM: 8-15
Carrier hydraulic relief system



BMS530

Cutting Width: 40"
Number of Blades: 2
Attachment: Skidsteer
Min Carrier Weight: 3,100 - 10,000lbs
GPM: 12-25
Carrier hydraulic relief system



BOOM MOWERS

BOOM MOWERS

for Skidsteers



SKIDSTEER MODELS



SWA540

6 ft Total Reach
48" Cutting Width
Single Arm
Flail Blades



SWA550

7 ft Total Reach
60" Cutting Width
Single Arm
Flail Blades



SWA560

10 ft Total Reach
60" Cutting Width
Single Arm
Flail Blades



SWF560

10 ft Total Reach
48" Cutting Width
Boom & Stick
Flail Blades



SWF580

14 ft Total Reach
48" Cutting Width
Boom & Stick
Flail Blades



SWA750

14 ft Total Reach
42" Cutting Width
Single Arm
Rotary Cutter



For full product details and pricing visit Baumalight.com.



BRUSH MULCHERS



FOR FULL PRODUCT DETAILS, PRICING, PRODUCT VIDEOS, SUPPORT AND TO FIND A DEALER, VISIT BAUMALIGHT.COM



MP330

41.75" Path Width
30" Rotor Width
15 HP Engine Minimum
(40 HP Maximum)
35 HP PTO Maximum
CAT 1 3PH



MP348

60" Path Width
48" Rotor Width
25 HP Engine Minimum
(50 HP Maximum)
40 HP PTO Maximum
CAT 1 3PH



MP360

72" Path Width
60" Rotor Width
30 HP Engine Minimum
(55 HP Maximum)
45 HP PTO Maximum
CAT 1 3PH



MP560

75" Path Width
60" Rotor Width
45 HP Engine Minimum
(75 HP Maximum)
65 HP PTO Maximum
CAT 2 3PH



MP572

87" Path Width
72" Rotor Width
50 HP Engine Minimum
(125 HP Maximum)
115 HP PTO Maximum
CAT 2 3PH



MP972

84" Path Width
72" Rotor Width
90 HP Engine Minimum
(135 HP Maximum)
125 HP PTO Maximum
CAT 2 or 3 3PH



SKIDSTEER MODELS



MS348

60" Path Width
48" Rotor Width
3000lb min carrier weight



MS530M

42" Path Width
30" Rotor Width
2000lb min carrier weight



MS530B

42" Path Width
30" Rotor Width
Bobcat mini skidsteer mount



MS548

62" Path Width
48" Rotor Width
4000lb min carrier weight



MS560

75" Path Width
60" Rotor Width
5500lb min carrier weight



MS572

87" Path Width
72" Rotor Width
6000lb min carrier weight



MS960

75" Path Width
60" Rotor Width
7000lb min carrier weight



MS972

84" Path Width
72" Rotor Width
7500lb min carrier weight



MS1160

75" Path Width
60" Rotor Width
7000lb min carrier weight



MS1472

Path width : 88"
Rotor width : 72"
5700 lb min carrier weight



MX230

38" Path Width
30" Rotor Width
6 Ton Maximum carrier weight
2 Ton Maximum carrier weight



MX330

38" Path Width
30" Rotor Width
8 Ton Maximum carrier weight
3 Ton Maximum carrier weight



MX530

40" Path Width
30" Rotor Width
12 Ton Maximum carrier weight
4 Ton Maximum carrier weight



MX548R with root Rake

62" Path Width
48" Rotor Width
20 Ton Maximum carrier weight
8 Ton Maximum carrier weight



MX948R

70" Path Width
48" Rotor Width
30 Ton Maximum carrier weight
12 Ton Maximum carrier weight



MX960R

90" Path Width
60" Rotor Width
33 Ton Maximum carrier weight
18 Ton Maximum carrier weight



MX1148R

70" Path Width
48" Rotor Width
30 Ton Maximum carrier weight



MX1160R

90" Path Width
60" Rotor Width
33 Ton Maximum carrier weight
18 Ton Maximum carrier weight



CHEATER ADAPTORS

CHEATER ADAPTOR

Make mini skidsteer attachments compatible with a range of equipment, offering greater flexibility and functionality for your operations



CHEATER ADAPTORS



D006290

Bobcat Mini FM to Baualight Male cheater adaptor
Vertical adjustment: Yes



D006489

Baualight FM plate to Bobcat Mini Male cheater
Vertical adjustment: Yes



BALL HITCH

Mini skidsteer plate with 2x2" ball hitch receiver.
2x2 short tongue with 2-5/16" ball
Check website for weight classes



D006942

Universal Skidsteer FM to Baualight Mini Male cheater adaptor
Vertical adjustment: Yes



D007048

ASV RT40 FM to Baualight Mini Male cheater adaptor
Vertical adjustment: Yes



XQS2M

Dipper Buddy Excavator to Baualight mini skidsteer.
AO2 connection type
For excavator class 5 & 8, up to 9 ton



BIG SKIDSTEER TO BALL HITCH ADAPTER

Move trailers with ease using the Martatch Big Skid Steer Ball Hitch Attachment.

Model# (Various Models)



XQS3B

Dipper Buddy Excavator to Bobcat mini skidsteer
AO2 connection type
For excavator class 5 & 8



XQS10

Dipper Buddy Excavator to Skidsteer
For excavator class 10, up to 11 ton.



XQS20

Dipper Buddy Excavator to Skidsteer Cheater Adaptor
For excavator class 13 & 20, up to 22 ton.



D007566

ASV RT40 FM to Bobcat Mini-Male cheater adaptor

DUMPERS

DUMPERS

**Move heavy loads and tough materials with ease.
Manage tasks from small hauls to moving heavy, bulky
materials smoothly.**





DW51QT

Drive type: Pull
Size: 18x8.50-10 6P
Carriage: Tires
Bucket control: Hydraulic AUX
Bucket heaped capacity: 1.2 Yard

DT515RH

Net Engine HP: 22.1 HP
Engine Type: Gas
Engine: Honda GX690
Carriage: Tracks
Drive type: Hydrostatic
Travel Speed: 7.84 KM/h
Bucket control: Lever
Bucket heaped capacity: 0.9 Yard



FELLER BUNCHER

FELLER BUNCHER





FBS752

Fixed Horizontal Blade
Universal Skidsteer Adaptor
Requires Case Drain
4 Edges Per Tooth
52" Blade diameter
20" Maximum cut



FGS952

Fixed Horizontal Blade
Universal Skidsteer Adaptor
Requires Case Drain
4 Edges Per Tooth
52" Blade diameter
20" Maximum cut

FBXD752
Excavator Mounted
360° Slew drive
Bolt-on Adaptor Slew Drive
Requires Case Drain
4 Edges Per Tooth
52" Blade diameter
20" Maximum cut



FLAIL MOWERS

FLAIL MOWERS

For mini skidsteers, big skidsteers
and tractors



FMP260

72" Path Width
60" Rotor Width
48 blade clusters
19" Rotor diameter (tips)
Quick Hitch compatible



FMP780

88" Path Width
80" Rotor Width
42 blade clusters
17.5" Rotor diameter (tips)
Quick Hitch compatible

FMM148

61" Path Width
48" Rotor Width
38 blade clusters
19" Rotor diameter (tips)
Universal mini skidsteer Adaptor




FEB700

88" Path Width
80" Rotor Width
42 blade clusters
17.5" Rotor diameter (tips)
Standard skidsteer plate



GENERATORS

**POWER YOUR
PROPERTY WITH
THE TRACTOR
YOU ALREADY
HAVE.**





TX7

7 KW
14 KW momentary surge
11 HP 100% Load
30 Amps Full Output



TX12

12 KW
24 KW momentary surge
21 HP 100% Load
50 Amps Full Output



TX18

18 KW
37 KW momentary surge
34 HP 100% Load
80 Amps Full Output



TX25

25 KW
50 KW momentary surge
42 HP 100% Load
100 Amps Full Output



TX31

31 KW
62 KW momentary surge
50 HP 100% Load
125 Amps Full Output



GENERATORS - KR





KR30

30 KW
85 KW momentary surge
45 HP 100% Load
125 Amps Full Output



KR44

44 KW
115 KW momentary surge
65 HP 100% Load
175 Amps Full Output



KR52

52 KW
140 KW momentary surge
76 HP 100% Load
225 Amps Full Output



KR65

65 KW
100 KW momentary surge
97 HP 100% Load
250 Amps Full Output





120/240 SINGLE PHASE

Model No.	QC 12	QC 19	QC 30	QC 45	QC 55	QC 65	QC 80	QC 100
KW	12	19	30	45	55	65	80	100
Momentary Surge KW	25	35	85	120	150	180	225	300
100% Load	21HP	34HP	49HP	75HP	89HP	102HP	122HP	153HP
Full Output Amps	50	90	125	175	225	250	320	400

120/208 VOLT 3-PHASE

Model No.	QC 30-2	QC 45-2	QC 68-2	QC 105-2
KW	30	45	68	105
Momentary Surge KW	85	120	190	315
100% Load	49HP	75HP	105HP	155HP
Full Output Amps	100	150	250	400

120/240 VOLT 3-PHASE

Model No.	QC 30-3	QC 45-3	QC 68-3	QC 105-3
KW	30	45	68	105
Momentary Surge KW	85	120	190	315
100% Load	49HP	75HP	105HP	155HP
Full Output Amps	90	150	225	320

480 VOLT 3-PHASE

Model No.	QC 30-4	QC 45-4	QC 68-4	QC 105-4
KW	33	50	76	113
Momentary Surge KW	85	120	190	315
100% Load	49HP	75HP	105HP	155HP
Full Output Amps	50	70	125	150

600 VOLT 3-PHASE

Model No.	QC 27-6	QC 50-6	QC 75-6	QC 100-6
KW	27	50	75	100
Momentary Surge KW	45	130	200	300
100% Load	47HP	80HP	110HP	153HP
Full Output Amps	35	60	90	150

MINI SKIDSTEERS

INTRODUCING THE BRAND NEW **2-SPEED** MINI SKIDSTEER



When the job requires less torque and more speed, easily shift from low gear to high gear



WRL58G

Net Engine HP: 22.1 HP
Carriage: Tires
Engine Type: Gas
Engine Brand: Honda
Model: GX690
Travel Speed: 7.84 km/h
Width (without bucket): 38"
tipping capacity with weights: 1550



TRL536D

Net Engine HP: 23.9 HP
Engine Type: Diesel
Engine Brand: Kubota
Model: D1105
Travel Speed: 8.8 km/h
Width (without bucket): 35.5"
tipping capacity with weights: 2760



TRL630D

Net Engine HP: 23.9 HP
Engine Type: Diesel
Engine Brand: Kubota
Model: D1105
Travel Speed: 8.8 km/h
Width (without bucket): 40"
tipping capacity with weights: 4340



TRL630Y

Net Engine HP: 22.8 HP
Engine Type: Diesel
Engine Brand: Yanmar
Model: D1105
Travel Speed: 8.8 km/h
Width (without bucket): 40"
tipping capacity with weights: 4340

ROTARY BRUSH CUTTER

ROTARY BRUSH CUTTERS

Clear thick vegetation and tough brush with ease. They handle everything from light grass to dense, woody plants.



TRACTOR MODELS



CP560

70" Path Width
60" Cutting Width
52 Slashes per Second
Max Engine HP: 75 HP
2-Disk Clutch System
Protection



CP572

82" Path Width
72" Cutting Width
52 Slashes per Second
Max Engine HP: 85 HP
4-Disk Clutch System
Protection

SKIDSTEER MODELS



CF360

70" Path Width
60" Cutting Width
2 Blades
Max Carrier weight: 8,000 lbs
Built In Hydraulic System
Protection



CF372

82" Path Width
72" Cutting Width
2 Blades
Max Carrier weight: 8,500 lbs
Built In Hydraulic System
Protection



CF560

70" Path Width
60" Cutting Width
4 Blades
Max Carrier weight: 10,500 lbs
Built In Hydraulic System
Protection



CF572

82" Path Width
72" Cutting Width
4 Blades
Max Carrier weight: 12,000 lbs
Built In Hydraulic System
Protection



CF772

83" Path Width
72" Cutting Width
4 Blades
Max Carrier weight: 10,000 lbs
Built In Hydraulic System
Protection

ROTARY BRUSH CUTTER

EXCAVATOR MODELS



CXC530

3.5" Maximum Brush Size
40" Path Width
30" Cutting Width
3 Blades
Max Tracked Excavator Ton: 10
Max Wheeled Excavator Ton: 11



CXC542

5" Maximum Brush Size
50" Path Width
42" Cutting Width
3 Blades
Max Tracked Excavator Ton: 15
Max Wheeled Excavator Ton: 17



CXC550

6" Maximum Brush Size
67" Path Width
50" Cutting Width
3 Blades
Max Tracked Excavator Ton: 20
Max Wheeled Excavator Ton: 24



ROTARY BRUSH CUTTER

BAUMALIGHT[™]



For full product details and pricing visit Baumalight.com.

SCREW SPLITTERS

SCREW SPLITTERS & STUMP PLANERS

SCREW SPLITTERS



RSS380

Skidsteer Mount
 Carrier weight for planer: 5000lbs (Max)
 Carrier weight for splitter: 7000lbs (Max)
 Max GPM: 45
 Max PSI: 3500
 2" Hex Planetary Drive



RSS580

Skidsteer Mount
 Carrier weight for planer: 6000lbs (Max)
 Carrier weight for splitter: 7000lbs (Max)
 Max GPM: 45
 Max PSI: 3500
 2" Hex Planetary Drive



RSS780

Skidsteer Mount
 Carrier weight for planer: 10000lbs (Max)
 Carrier weight for splitter: 12000lbs (Max)
 Max GPM: 65
 Max PSI: 5000
 8 Bolt Flange Planetary Drive



RSX380

Excavator Mount
 Carrier weight for planer: 5 Ton (Max)
 Carrier weight for splitter: 10 Ton (Max)
 Max GPM: 45
 Max PSI: 3500
 2" Hex Planetary Drive



RSX580

Excavator Mount
 Carrier weight for planer: 8 Ton (Max)
 Carrier weight for splitter: 10 Ton (Max)
 Max GPM: 45
 Max PSI: 3500
 2" Hex Planetary Drive



RSX780

Excavator Mount
 Carrier weight for planer: 18 Ton (Max)
 Carrier weight for splitter: 20 Ton (Max)
 Max GPM: 65
 Max PSI: 5000
 8 Bolt Flange Planetary Drive

SCREW SPLITTER TOOLS



Part #	Description
D002507	Complete 2" Hex 14 x 8 splitter cone assembly
D003935	Complete 8-bolt flange mount 14 x 8 splitter cone assembly

STUMP PLANER TOOLS



Part #	Description
D003218	2" Hex x 8" Christmas Tree Stump remover
D002771	2" Hex 20" dia. 4-knife stump planer
D003381	8-bolt flange mount stump planer

STUMP GRINDERS

STUMP GRINDER



TRACTOR MOUNT MODELS



1P14

Recommended HP: 20-25
Max Engine HP: 45
Max PTO HP: 35
Number of teeth: 12
Cutting Wheel Speed: 540 RPM
Hub Torque: 664 ft-Lbs



1P24

Recommended HP: 20-45
Max Engine HP: 50
Max PTO HP: 40
Number of teeth: 34
Cutting Wheel Speed: 540 RPM
Hub Torque: 885 ft-Lbs



1P34

Recommended HP: 30-50
Max Engine HP: 75
Max PTO HP: 65
Number of teeth: 40
Cutting Wheel Speed: 540 RPM
Hub Torque: 803 ft-Lbs



3P24

Recommended HP: 25-55
Max Engine HP: 58
Max PTO HP: 50
Number of teeth: 34
Cutting Wheel Speed: 810 RPM
Hub Torque: 885 ft-Lbs



3P34

Recommended HP: 45-80
Max Engine HP: 85
Max PTO HP: 75
Number of teeth: 52
Cutting Wheel Speed: 810 RPM
Hub Torque: 1475 ft-Lbs



3P38

Recommended HP: 60-110
Max Engine HP: 110
Max PTO HP: 100
Number of teeth: 52
Cutting Wheel Speed: 810 RPM
Hub Torque: 1475 ft-Lbs



3P40

Recommended HP: 60-120
Max Engine HP: 125
Max PTO HP: 115
Number of teeth: 52
Cutting Wheel Speed: 1000 RPM
Hub Torque: 1327 ft-Lbs

STUMP GRINDERS

MINI SKIDSTEER MOUNT MODELS



S14

Motor Type: Gerotor
Rotor Size: 18"
Number of Teeth: 12
Cutting Depth: 6"
Self-feeding Swing Arc
Hitch: 1" pivot pins



S16

Motor Type: Bent Axis Piston
Rotor Size: 18"
Number of Teeth: 24
Cutting Depth: 6"
12V DC powered 56° Swing Arc
Hitch: Mini Plate

SKIDSTEER MOUNT MODELS



S18

Recommended HP: 25-80
Motor Type: Gerotor
Number of Teeth: 34
Cutting Depth: 10"
Self-feeding Swing Arc
Hitch: 1" pivot pins



S22

Recommended HP: 25-65
Motor Type: Gerotor
Number of Teeth: 34
Cutting Depth: 10"
12V DC powered 60° Swing Arc
Hitch: Quick Attach



S24

Recommended HP: 30-80
Motor Type: Gerotor
Number of Teeth: 34
Cutting Depth: 10"
Hydraulic 60° Swing Arc
Hitch: Quick Attach



S28

Recommended HP: 50-120
Motor Type: Gerotor
Number of Teeth: 34
Cutting Depth: 10"
Hydraulic 63° Swing Arc
Hitch: Quick Attach



S40

Recommended HP: 50-120
Motor Type: Bent Axis Piston
Number of Teeth: 12
Cutting Depth: 24"
Hydraulic 85° Swing Arc
Hitch: Quick Attach

EXCAVATOR MOUNT MODELS



S14

Carrier Size: 1-2 ton
Gerotor Motor
Rotor Size: 18"
Number of Teeth: 12
Cutting Depth: 6"
Hitch: 1" pivot pins



S18

Carrier Size: 1.5-4 ton
Gerotor Motor
Rotor Size: 24"
Number of Teeth: 34
Cutting Depth: 10"
Hitch: 1" pivot pins



GXM350

Carrier Size: 1.5-4.5 ton
High efficiency bent axis piston
Rotor Size: 19"
Number of Teeth: 24
Cutting Depth: 16"
Hitch: Bolt on



GXM550

Carrier Size: 3.5-8 ton
High efficiency bent axis piston
Rotor Size: 24"
Number of Teeth: 12
Cutting Depth: 24"
Hitch: Bolt on



GXM750

Carrier Size: 7-18 ton
High efficiency bent axis piston
Rotor Size: 24"
Number of Teeth: 12
Cutting Depth: 24"
Hitch: Bolt on



TREE SHEARS & PULLER

CUT YOUR WORKLOAD NOT CORNERS

**Powerful and precise cutting solutions for
tree clearing and trimming.
Built for durability, they handle tough
branches with ease.**



TREE SHEARS & PULLER



ISH510G

Horizontal Blade Angle
4,000–7,000 Weight Class
10" Limb Size
Grabber: Yes
Carrier: Skidsteer



ISH512G

Horizontal Blade Angle
5,000–8,000 Weight Class
12" Limb Size
Grabber: Yes
Carrier: Skidsteer



ISH712G

Horizontal Blade Angle
6,000–12,000 Weight Class
12" Limb Size
Grabber: Yes
Carrier: Skidsteer



ISR512

Rotating Blade Angle
5,000–8,000 Weight Class
12" Limb Size
Carrier: Skidsteer



IXP508G

Pivoting Blade Angle
3–10 ton Weight Class
8" Limb Size
5–40 GPM
Carrier: Excavator



IXP510G

Pivoting Blade Angle
5–15 ton Weight Class
10" Limb Size
10–40 GPM
Carrier: Excavator



IXP512G

Pivoting Blade Angle
8–20 ton Weight Class
12" Limb Size
15–60 GPM
Carrier: Excavator



ISH3M

TREE PULLER
Carrier: Mini Skidsteer
2" Limb Size
1,500 - 4,000 lbs skidsteer
size range



ISH3P

TREE PULLER
Carrier: Skidsteer
4" Limb Size
4,000 - 8,000 lbs skidsteer
size range

TREE SHEARS



ISH918G


TREE SHEAR
Carrier: Skidsteer
18" Limb Size
25-70 GPM
6,000-18,000 lbs skidsteer
size range





TREE SAWS

TREE SAWS

A Kubota excavator, painted in its signature orange, is shown in a wooded setting. The machine is equipped with a large hydraulic tree saw attachment on its boom. The saw is positioned to cut through a tree trunk. The background consists of bare trees, suggesting a late autumn or winter scene. The overall lighting is somewhat dim, with a blueish tint to the sky and background trees.

**Effortlessly cut through trees
and dense branches.
Handle everything from light
pruning to clearing heavy growth
with power and efficiency.**



DPH530

Mount: Tractor
Blade Angle: Horizontal
Blade Diameter: 30"
Max Cut: 10"
Blade Material: AR400
Teeth Part #: H3000



DPH532

Mount: Tractor
Blade Angle: Horizontal
Blade Diameter: 30"
Max Cut: 10"
Blade Material: AR400
Teeth Part #: H3000



DPH735

Mount: Tractor
Blade Angle: Horizontal
Blade Diameter: 35"
Max Cut: 12"
Blade Material: Steel
Teeth Part #: B8000



DSM230

Adaptor: Mini Skidsteer
Blade Angle: 180°
Actuator: Manual
GPM: 6-20
Blade Diameter: 30"
Teeth Part #: H3000



DSM530

Adaptor: Universal Skidsteer
Blade Angle: 180°
Actuator: Manual
GPM: 10-40
Blade Diameter: 30"
Teeth Part #: H3000



DSA530

Adaptor: Universal Skidsteer
Blade Angle: 180°
Actuator: Helical
GPM: 10-45
Blade Diameter: 30"
Teeth Part #: H3000



DXM530

Adaptor: Excavator Bolt-on
Maximum Carrier Ton: 12 ton
Blade Angle: 180°
GPM: 10-40
Blade Diameter: 30"
Teeth Part #: H3000



DXA530

Adaptor: Excavator Bolt-on
Maximum Carrier Ton: 12 ton
Blade Angle: 180°
GPM: 10-45
Blade Diameter: 30"
Teeth Part #: H3000



DXD752

Adaptor: Excavator Bolt-on
Maximum Carrier Ton: 22 ton
Blade Angle: 360°
GPM: 25-60
Blade Diameter: 52"
Teeth Part #: B8000



DXH752

Adaptor: Excavator Bolt-on
Maximum Carrier Ton: 22 ton
Blade Angle: Horizontal
GPM: 25-60
Blade Diameter: 52"
Teeth Part #: B8000

TREE SPADES

TREE SPADES

SKIDSTEER SCOOPS





X4M

Tree Size (Evergreen): 1.5"
 Tree Size (Hardwood): 1"
 Root Ball Diameter: 22"
 Root Ball Depth: 20"
 Blade Thickness: 1/4" High Alloy
 Blade Truncation: Sharp
 Attachment: Standard Mini Skidsteer
 Width - Scoop (Plate): 23" (24")
 Length: 35"



X4C

Tree Size (Evergreen): 1.5"
 Tree Size (Hardwood): 1"
 Root Ball Diameter: 22"
 Root Ball Depth: 20"
 Blade Thickness: 1/4" High Alloy
 Blade Truncation: Sharp
 Attachment: Bobcat Mini Skidsteer
 Width - Scoop (Plate): 23" (36")
 Length: 36"



X4S

Tree Size (Evergreen): 2"
 Tree Size (Hardwood): 1.5"
 Root Ball Diameter: 28"
 Root Ball Depth: 25"
 Blade Thickness: 1/4" High Alloy
 Blade Truncation: Sharp
 Attachment: Standard Universal
 Width - Scoop (Plate): 28" (44")
 Length: 43"



X4B

Tree Size (Evergreen): 2"
 Tree Size (Hardwood): 1.5"
 Root Ball Diameter: 28"
 Root Ball Depth: 25"
 Blade Thickness: 1/4" High Alloy
 Blade Truncation: Sharp
 Attachment: Blank Weld-On
 Width - Scoop (Plate): 28" (44")
 Length: 43"

TREE SPADES

TREE SPADES

SKIDSTEER & INDUSTRIAL





ST324

Root Ball Diameter: 24"
 Root Ball Depth: 23"
 Opening (Width): 20"
 Number of Blades: 3
 Blade Thickness: 1/4" Mild Steel
 Hydraulic Flow: 5-20 GPM



ST330

Root Ball Diameter: 30"
 Root Ball Depth: 29"
 Opening (Width): 23"
 Number of Blades: 3
 Blade Thickness: 3/8" Mild Steel
 Hydraulic Flow: 5-20 GPM



SS330

Root Ball Diameter: 30"
 Root Ball Depth: 29"
 Opening (Width): 60"
 Number of Blades: 3
 Blade Thickness: 3/8" Mild Steel
 Hydraulic Flow: 5-20 GPM



ST440

Root Ball Diameter: 40"
 Root Ball Depth: 30"
 Opening (Width): 52"
 Number of Blades: 4
 Blade Thickness: 1/4" AR400
 Hydraulic Flow: 5-20 GPM



ST650

Root Ball Diameter: 50"
 Root Ball Depth: 43"
 Opening (Width): 47"
 Number of Blades: 6
 Blade Thickness: 1/4" AR400
 Hydraulic Flow: 5-20 GPM



DR434

Root Ball Diameter: 34"
 Root Ball Depth: 23"
 Opening (Width): 10"
 Number of Blades: 4
 Blade Thickness: 5/16" T1
 Hydraulic Flow: 5-25 GPM



DR438

Root Ball Diameter: 38"
 Root Ball Depth: 27"
 Opening (Width): 17"
 Number of Blades: 4
 Blade Thickness: 5/16" T1
 Hydraulic Flow: 5-25 GPM



DR444

Root Ball Diameter: 44"
 Root Ball Depth: 31"
 Opening (Width): 27"
 Number of Blades: 4
 Blade Thickness: 5/16" T1
 Hydraulic Flow: 5-25 GPM



DR448

Root Ball Diameter: 48"
 Root Ball Depth: 38"
 Opening (Width): 30"
 Number of Blades: 4
 Blade Thickness: 5/16" T1
 Hydraulic Flow: 10-35 GPM

TREE SPADES

TREE SPADES

TRACTORS & TRAILERS



TREE SPADES



PT324

Root Ball Diameter: 24"
Root Ball Depth: 23"
Opening (Width): 20"
Number of Blades: 3
Blade Thickness: 1/4" Mild Steel
Hydraulic Flow: 5-20 GPM



PT330

Root Ball Diameter: 30"
Root Ball Depth: 29"
Opening (Width): 23"
Number of Blades: 3
Blade Thickness: 3/8" Mild Steel
Hydraulic Flow: 5-20 GPM



PS330

Root Ball Diameter: 30"
Root Ball Depth: 29"
Opening (Width): 60"
Number of Blades: 3
Blade Thickness: 3/8" Mild Steel
Hydraulic Flow: 5-20 GPM



PT440

Root Ball Diameter: 40"
Root Ball Depth: 30"
Opening (Width): 52"
Number of Blades: 4
Blade Thickness: 1/4" High Alloy
Hydraulic Flow: 5-20 GPM



PT650

Root Ball Diameter: 50"
Root Ball Depth: 43"
Opening (Width): 47"
Number of Blades: 6
Blade Thickness: 1/4" High Alloy
Hydraulic Flow: 5-20 GPM



TR330

Root Ball Diameter: 30"
Root Ball Depth: 29"
Opening (Width): 60"
Number of Blades: 3
Blade Thickness: 3/8" Mild Alloy



TR440

Root Ball Diameter: 40"
Root Ball Depth: 30"
Opening (Width): 52"
Number of Blades: 4
Blade Thickness: 1/4" High Alloy



TR650

Root Ball Diameter: 50"
Root Ball Depth: 43"
Opening (Width): 47"
Number of Blades: 6
Blade Thickness: 1/4" High Alloy

TRENCHERS



TRENCHERS



TN236

Mount: Standard Mini skidsteer
 Trench depth: 36"
 Trench width: 4" to 6"
 Trencher chain torque at 3,000 PSI: 6,703 lbs-in
 Carrier weight (lb): 1,500 - 4,000
 Max GPM: 18



TNM336B

Mount: Bobcat Mini skidsteer
 Trench depth: 36"
 Trench width: 4" to 6"
 Trencher chain torque at 3,000 PSI: 6,703 lbs-in
 Carrier weight (lb): 1,500 - 4,000
 Max GPM: 18



TNS336

Mount: Universal skidsteer
 Trench depth: 36"
 Trench width: 4" to 6"
 Trencher chain torque at 3,000 PSI: 14,571 lbs-in
 Carrier weight (lb): 2,000 - 5,000
 Max GPM: 20



TNS536

Mount: Universal skidsteer
 Trench depth: 36"
 Trench width: 6" to 10"
 Trencher chain torque at 3,000 PSI: 21,856 lbs-in
 Carrier weight (lb): 3,000 - 7,000
 Max GPM: 25



TN548

Mount: Universal skidsteer
 Trench depth: 48"
 Trench width: 6" to 10"
 Trencher chain torque at 3,000 PSI: 21,856 lbs-in
 Carrier weight (lb): 3,000 - 7,000
 Max GPM: 25



TN560

Mount: Universal skidsteer
 Trench depth: 60"
 Trench width: 6" to 10"
 Trencher chain torque at 3,000 PSI: 21,856 lbs-in
 Carrier weight (lb): 3,000 - 7,000
 Max GPM: 25



TN760

Mount: Universal skidsteer
 Trench depth: 60"
 Trench width: 6" to 10"
 Trencher chain torque at 3,000 PSI: 33,877 lbs-in
 Carrier weight (lb): 4,000 - 12,000
 Max GPM: 42



MINI SKIDSTEER TOOLS



FORKS - GRAPPLERS - CUTTING - DIGGING
DEAL OF THE WEEK!
ES - GRIPPING - SNOW - LAND - MOUNTING

FOR DEALS EVERY WEEK, VISIT BAUMALIGHT.COM



BAUMALIGHT LOG GRAPPLE

Mini skidsteer log grapple with chain pivot.
Model# LMH316G



BALE SPEAR

Martatch Bale spear with 2 Tines 39" (34" Length Useable) for common industry interface mini skidsteers.
Model# MBSU39C2



42" BUCKET

Bobcat mini Skidsteer Martatch 42" utility bucket for Bobcat Mini
Model# MUB42LBO463



PALLET FORK

Bobcat mini Skidsteer Martatch forks, 42" long x 36" wide for Bobcat Mini Skidsteer Attachment plate.
Model# MUPFN42-36WBO463



36" BUCKET

Martatch 36" Utility bucket for common industry interface Mini Skidsteer Attachment plate.
Model# MUB36M



42" BUCKET

Martatch 42" Utility Bucket for common industry interface Mini Skidsteer Attachment plate.
Model# D005689



PALLET FORK

Bobcat mini Skidsteer Martatch forks, 42" long x 36" wide for Bobcat Mini Skidsteer Attachment plate.
Model# D005690



GRAPPLE

Martatch Utility Debris Grapple 48 X 23 for common industry interface mini skidsteers
Model# MUDG4823



DUMP BUCKET

Martatch 48" ID High dump bucket, 30"H X 38" D for common industry interface mini skidsteers.
Model# MUHDB48MSS100



MANURE FORK

Martatch 42" Manure fork, Conus 1 Cranked Tines for common industry interface mini skidsteers.
Model# MUMF42MSS100



FORK+GRAPPLE

Martatch 48" Manure fork with grapple with Single Arm for common industry interface mini skidsteers
Model# MMUFG48MSS100



LARGE BUCKET

Mini high volume mini bucket Martatch 54"width X 30" high X 36" Deep Mini HV Bucket
Model# MUB54HV-MSS100



LOG GRAPPLE

Martatch Multi-purpose grapple with 30" Wide base for common industry interface mini skidsteers.
Model# MUMPGMSS100



4-IN-1 BUCKET

Martatch 4-in-1 Bucket 48" L x 23" D x 18" H for common industry interface mini skidsteers.
Model# M-4IN-1B48MSS100



6-WAY BLADE

Martatch 48" 6-Way Utility Dirt Blade - 20" High for Mini skidsteers.
Model# MUDBL2048

LAND & SNOW MAINTENANCE

BAUMALIGHT



HEAPING TOOL

Multi-purpose heaping tool for Mini Skidsteers. Durable and robust design for heavy-duty use.

Model# MSPA07

MARTATCH



MINI PICK-UP SWEEPER

Martatch 48" Compact Pick-up sweeper with 15" Rotary drum for common industry interface mini skidsteers.

Model# MCPUB48MSS100

MARTATCH



MINI SWEEPER WITH POWER ANGLE

Martatch 48" Compact Rotary Sweeper with 15" Drum diameter for common industry interface mini skidsteers.

Model# MCRS1548MS100



LAND PLANE

Rugged construction Frame made of 3/8" mild steel Two bolt-on reversible cutting edges (front and back) Model# (various models)



POWER RAKE

Wifo Mini skidsteer Power Rake for common industry interface mini skidsteers.

Model# RMS48CR

MARTATCH



48" SOIL TILLER

Martatch 48" Soil Tiller for common industry interface mini skidsteers.

Model# MRT48MSS100

MARTATCH



SNOW BLADE

Martatch 54" x 20" snow blade with cross over relief for common industry interface mini skidsteers.

Model# D005745

WIFO



SNOW BLOWER

Wifo Mini Skidsteer Snow Blower for common industry interface mini skidsteers.

Model# WHMS46



TOOL CADDY

Wifo Mini skidsteer tool caddy for bucket, forks, power rake & hand tools.

Model# 5242A100

MARTATCH



ROTARY MOWER

Martatch Rotary mower with 46" Rotary cutter and safety chain for common industry interface mini skidsteers

Model# MCRC46MSS100



BALL HITCH

Move trailers with ease using the Baumalight Mini Skid Steer Ball Hitch Attachment.

Model# (Various Models)



BLANK WELD-ON PLATE



Part #	Description
D001161	Blank Weld-On Plate - Excavator up to 10 Ton
D004951	Set of 10 5/8" x 2" G5 bolts with lock nuts - Free if mount ordered with whole good
D001419	Blank Weld-On Plate - Excavator over 8 Ton
D004952	Set of 26 5/8" x 2" G5 bolts with lock nuts - Free if mount ordered with whole good

TURN-KEY CUSTOM SOLUTIONS

Carrier	Weight	Class	Ton
Excavator	100 lbs	5	1.5 - 6
Excavator	200 lbs	8	7 - 9
Excavator	225 lbs	10	10 - 11
Excavator	250 lbs	13	12 - 15
Excavator	275 lbs	15	16 - 19
Excavator	300 lbs	20	20 - 22
Excavator	325 lbs	25	23 - 29
Excavator	400 lbs		30 +



EXCAVATOR MOUNTS

EXCAVATOR ADAPTOR PIN OPTIONS

Part #	Class	Diameter (mm)	Ton
D003569	5	45 - 50	1.5 - 6
D003569	6	45 - 50	7 - 9
D003569	8	45 - 55	10 - 11
D003569	13	60 - 65	12 - 15
D003569	15	65 - 80	16 - 19
D003569	20	80	20 - 22
D003569	25	80 - 90	23 - 29
D003569	30	90 - 100	30 - 34
D003569	40	100 - 110	35 - 40
D003569		110 +	40 +

DIPPER BUDDY - EXCAVATOR TO SKIDSTEER QUICK ATTACH



XQS2M



XQS3B



XQS10



XQS20

Part #	Connection type	Excavator Class	Ton	Skidsteer Type
XQS2M	A02	Class 5 & 8	Up to 9 Ton	Common mini skidsteer interface
XQS3B	A02	Class 5 & 8	Up to 9 Ton	Bobcat mini skidsteer
XQS10	A02	Class 10	Up to 11 Ton	Universal big skidsteer
XQS20	A03	Class 13 & 20	Up to 22 Ton	Universal big skidsteer



LOCALLY AVAILABLE PARTS

At Baumalight, we design many of our products using industry-standard parts. Many replacement parts can often be found through **local suppliers**, not just from us.

Check our parts break downs for common industry part numbers in our parts.



BAUMALIGHT™

LIGHT INDUSTRIAL EQUIPMENT

AUGERS
BARRIER MOWER
BOOM MOWERS
BRUSH MULCHERS
CHEATER ADAPTORS
DUMPER
EXCAVATOR ADAPTORS
FELLER BUNCHER
FLAIL MOWER
GENERATORS

MINI SKIDSTEERS
ROTARY BRUSH CUTTER
SCREW SPLITTERS
STUMP GRINDERS
STUMP PLANERS
TREE PULLER
TREE SAWS
TREE SHEARS
TREE SPADES
TRENCHERS



SOLD BY
EQUIPMENT DEALERS
FOR LOCAL SUPPORT

Most Tractor, Skidsteer or Excavator dealerships have access to the full line of Baumalight attachments.

Buy local through your Trusted Dealer for after-sales service, maintenance and product warranty.

BAUMALIGHT™

Manufactured by: **MTB MFG. INC.**

4575 Powell Rd. Wallenstein, ON.

Canada, N0B 2S0

sales@baumalight.com

baumalight.com

